

FIG. 1




FIG. 2




FIG. 3





FIG. 4



70







FIG. 7







FIG. 8



FIG. 9






FIG. 10

FIG. 10 is a cross-sectional view of the input power connector for a distribution panel, showing the main body 70, the top flanges 80, the top surface 74, and the slot 74.

FIG. 11




FIG. 12




FIG. 13






FIG. 15




FIG. 16




FIG. 16 is a cross-sectional view of a rectangular component 170. The component is shown with a hatched interior and a solid outer shell. It features three rectangular protrusions: one on the left side labeled 94, and two on the right side labeled 90. A label 74 points to the top edge of the component.






FIG. 17

FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23






FIG. 24












FIG. 27



[illegible]

FIG. 29



This perspective view shows the internal components of the assembly. The central mechanism includes a main body (171) with a top plate (172) and a bottom plate (173). The four actuators (182) are arranged around the central mechanism, each connected to a common shaft (183) via a linkage arm (186) and a pivot point (185). The actuators are labeled 182, 182, 182, and 182. Other components shown include the top plate (172), bottom plate (173), and various internal parts like 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300.

FIG. 31




FIG. 32






FIG. 33




FIG. 34




FIG. 34 is a perspective view of the input power connector assembly 12, showing the main body 206, the front panel 204, the horizontal bar 216, the vertical support 170, the vertical support 168, the connector 200, and the cable 208.




FIG. 35